



LIFETIME LIMITED RESIDENTIAL WARRANTY

5 YEAR LIMITED COMMERCIAL WARRANTY























T-Mold




Collection	Organix	Edge Profile	Round Edge® Painted Bevel
Construction	<i>NexCore</i> ®	Locking System	Valinge 5G®
Thickness	7.5mm	Certification	FloorScore®
Width	9.4"	Moldings	Flush and Overlap Stair Nose, Reducer, T-Mold
Length	60"	Sqft Per Ctn	31.41
Finish	Surface Guard®	Sound Rating	IIC 72*/ STC 72*
Embossing	4D EIR	*Sound ratings will vary based on building construction	
MOLDING PROFILE			

WELCOME TO THE REVOLUTION IN HARD SURFACE FLOORING!

Overlap Stair Nose

WHY CHOOSE ORGANIX?



Balance Layer: A critical component in the Cascade NextGen construction that ensures stability when faced with changes in temperature and humidity.

Flush Stair Nose

- ✓ NexCore®: Enhanced stability allows Remix to be installed in areas up to 4,000sf without the use of transitions.
 - PVC Free.
 - 80% Renewable Organic Materials. 75% recycled content.
 - Waterproof: Max 4% Swell Rate vs 8-9% on water resistant laminate.
 - 150kg/m³ density for improved lock strength.
 - Extreme stability allows NexCore® to be installed in large areas without transitions.

Surface Guard Finish: - 3 X Protection is equivalent to a 20mil wear layer. Extreme scratch, stain and dent resistance. Ideal for busy homes with kids and pets.

Reducer

- Décor Layer: High Definition films offer enhanced realism.
- Locking System: Organix features the Valinge 5G locking for strong and worry-free installations.
- Sound Reduction Layer: Premium embossed IXPE underlayment provides sound reducing properties as well as improved underfoot comfort.